

SAFETY DATA SHEET

Version 5.2 Revision Date 07/25/2018 Print Date 11/15/2018

Avanti Polar Lipids, Inc. 700 Industrial Park Drive, Alabaster, AL 35007, USA • (800) 227-0651 • (205) 663-2494

- Fax(800) 229-1004•(205) 663-0756 E-mail Orders: orders@avantilipids.com E-mail Inquiries: info@avantilipids.com
- E-mail Technical Questions: technical@avantilipids.com Visit www.avantilipids.com

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : omega(7-nitro-2-1,3-benzoxadiazol-4-yl)(2S,3R)-2-

aminooctadecane-1,3-diol

Product Number : 810206X Brand : AVANTI

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Avanti Polar Lipids, INC

700 Industrial Park Drive Alabaster, Al 35007 United States of America

Telephone : (205) 663-2494 Fax : (205) 663-0756

1.4 Emergency telephone number

Emergency Phone # : +1 703-741-5970 / 1800-424-9300(CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331

Skin irritation (Category 3), H3

Eye irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351

Reproductive toxicity (Category 2), H361d

Specific target organ toxicity - single exposure (Category 1), Eyes, H370

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Specific target organ toxicity - repeated exposure (Category 1), Liver, Kidney, H372

Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

AVANTI - 810206X Page 1 of 11

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H370	Causes damage to organs (Eyes).
H372	Causes damage to organs (Liver, Kidney) through prolonged or repeated
11072	exposure.
H402	Harmful to aquatic life.
	Hammul to aquatic inc.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and
B040	understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
	Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Call a POISON CENTER/doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P307 + P311	IF exposed: Call a POISON CENTER or doctor/ physician.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to
	extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
	• • • • • • • • • • • • • • • • • • • •

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Synonyms : NBD Sphinganine

Hazardous components

1azardous components					
Component		Classification	Concentration		
Chloroform					
CAS-No.	67-66-3	Acute Tox. 4; Acute Tox.	3; 70 - 90 %		
EC-No.	200-663-8	Skin Irrit. 2; Eye Irrit. 2A;	Carc.		
Index-No.	602-006-00-4	2; Repr. 2; STOT SE 3; S	STOT		

AVANTI - 810206X Page 2 of 11

Registration number	01-2119486657-20-XXXX	RE 1; Aquatic Acute 3; H302, H315, H319, H331, H336, H351, H361d, H372, H402	
Methanol			
CAS-No.	67-56-1	Flam. Liq. 2; Acute Tox. 3;	10 - 20 %
EC-No.	200-659-6	STOT SE 1; H225, H301 +	
Index-No.	603-001-00-X	H311 + H331, H370	
Registration number	01-2119433307-44-XXXX		

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

AVANTI - 810206X Page 3 of 11

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -25 - -15 °C Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Components with workplace control parameters							
Component	CAS-No.	Value	Control	Basis			
			parameters				
Chloroform	67-66-3	TWA	10 ppm	USA. ACGIH Threshold Limit Values			
				(TLV)			
	Remarks	Central Ner	Central Nervous System impairment				
		Liver damage					
		Embryo/feta	al damage				
			animal carcinoger	n with unknown relevance to humans			
		ST	2 ppm	USA. NIOSH Recommended			
			9.78 mg/m3	Exposure Limits			
		Potential Occupational Carcinogen See Appendix A					
		С	50 ppm	USA. Occupational Exposure Limits			
			240 mg/m3	(OSHA) - Table Z-1 Limits for Air			
				Contaminants			
		The value in mg/m3 is approximate.					
		Ceiling limit	ng limit is to be determined from breathing-zone air sample				
		PEL	2 ppm	California permissible exposure			
			9.78 mg/m3	limits for chemical contaminants			
				(Title 8, Article 107)			
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit Values			
				(TLV)			
		Headache					
		Nausea					
		Dizziness	Dizziness				
		Eye damage					
		Substances for which there is a Biological Exposure Index or Indice					
(see BEI® section)							
		Danger of cutaneous absorption					
		Danger of cutaneous absorption					

AVANTI - 810206X Page 4 of 11

STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)	
Headache Nausea Dizziness)		
Eye dama	100		
		s a Biological Exposure Index or Indices	
(see BEI®		3 a biological Exposure mack of malees	
	Danger of cutaneous absorption		
TWA	200 ppm	USA. NIOSH Recommended	
	260 mg/m3	Exposure Limits	
Potential f	Potential for dermal absorption		
ST	250 ppm	USA. NIOSH Recommended	
	325 mg/m3	Exposure Limits	
Potential f	or dermal absorpti	on	
TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
The value	in mg/m3 is appro	ximate.	
С	1,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin		,	
PEL	200 ppm 260 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin	•		
STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin	1		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
	-	Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (A	As soon as p	ossible after exp	osure ceases)

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

AVANTI - 810206X Page 5 of 11

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Form: liquid b) Odour No data available Odour Threshold No data available c) d) No data available Melting point/freezing No data available e) point Initial boiling point and No data available f) boiling range Flash point No data available h) Evaporation rate No data available i) Flammability (solid, gas) No data available j) Upper/lower No data available flammability or explosive limits Vapour pressure No data available Vapour density No data available m) Relative density 1.42 g/cm3 n) Water solubility No data available o) Partition coefficient: n-No data available octanol/water p) Auto-ignition No data available temperature Decomposition No data available temperature No data available r) Viscosity s) Explosive properties No data available Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions. Contains the following stabiliser(s):

Ethanol (0.5 %)

10.3 Possibility of hazardous reactions

No data available

AVANTI - 810206X Page 6 of 11

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 908 mg/kg (Chloroform)

(OECD Test Guideline 401)

Remarks: Behavioral:Change in motor activity (specific assay). Behavioral:Ataxia. Lungs, Thorax, or

Respiration: Respiratory stimulation.

LOEC Inhalation - Rat - male - 6 h - 500 ppm (Chloroform)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

LD50 Dermal - Rabbit - > 20,000 mg/kg (Chloroform)

Remarks: (RTECS)

No data available

No data available (Chloroform)

Skin corrosion/irritation

No data available

Skin - Rabbit (Chloroform) Result: Irritating to skin. - 24 h

Remarks: (ECHA)

Serious eye damage/eye irritation

No data available

Eyes - Rabbit (Chloroform) Result: Irritating to eyes. Remarks: (ECHA)

Respiratory or skin sensitisation

No data available

Sensitisation test: - Guinea pig (Chloroform)

Result: negative (Maximisation Test) Remarks: (ECHA)

Germ cell mutagenicity

No data available

Ames test (Chloroform) Salmonella typhimurium

Result: negative

reverse mutation assay (Chloroform)

Escherichia coli Result: negative

(ECHA)

OECD Test Guideline 474 (Chloroform) Rat - male and female - Bone marrow

Result: negative

AVANTI - 810206X Page 7 of 11

OECD Test Guideline 486 (Chloroform)

Rat - male - Other cell types

Result: negative

Carcinogenicity

Carcinogenicity - Rat - Oral

Tumorigenic:Carcinogenic by RTECS criteria. Leukaemia (Chloroform)

Suspected of causing cancer. (Chloroform)

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Chloroform)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Chloroform)

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

Reproductive toxicity

No data available

Suspected of damaging the unborn child. (Chloroform)

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

(Chloroform)

Vomiting, Cough, irritant effects, Shortness of breath, respiratory arrest, narcosis, Dizziness, Nausea, agitation, spasms, inebriation, Headache, Stomach/intestinal disorders, ataxia (impaired locomotor coordination), cardiovascular disorders (Chloroform)

Drying-out effect resulting in rough and chapped skin. (Chloroform)

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Chloroform) Stomach - Irregularities - Based on Human Evidence (Methanol) Stomach - Irregularities - Based on Human Evidence (Ethanol)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

Toxicity to fish flow-through test LC50 - Danio rerio (zebra fish) - 121 mg/l - 48 h (Chloroform)

(OECD Test Guideline 203)

static test LC50 - Pimephales promelas (fathead minnow) - 103 - 171 mg/l - 96

h (Chloroform) Remarks: (ECHA)

flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 18.2 mg/l - 96

h (Chloroform) Remarks: (ECHA)

flow-through test LC50 - Micropterus dolomieui - 51 mg/l - 96 h (Chloroform)

Remarks: (ECHA)

Toxicity to daphnia and

other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 79 mg/l - 48 h (Chloroform)

Remarks: (ECHA)

Toxicity to algae static test ErC50 - Chlamydomonas reinhardtii (green algae) - 13.3 mg/l - 72 h

AVANTI - 810206X Page 8 of 11

(Chloroform) Remarks: (ECHA)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2810 Class: 6.1 Packing group: III

Proper shipping name: Toxic, liquids, organic, n.o.s. (Chloroform, Methanol)

Reportable Quantity (RQ): 11 lbsReportable Quantity (RQ): 10 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 2810 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (Chloroform, Methanol)

IATA

UN number: 2810 Class: 6.1 Packing group: III Proper shipping name: Toxic liquid, organic, n.o.s. (Chloroform, Methanol)

15. REGULATORY INFORMATION

SARA 302 Components

CAS-No. Revision Date Chloroform 67-66-3 2008-11-03

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date Chloroform 67-66-3 2008-11-03 Methanol 67-56-1 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Reportable Quantity D022 lbs

Massachusetts Right To Know Components

AVANTI - 810206X Page 9 of 11

Chloroform Methanol	CAS-No. 67-66-3 67-56-1	Revision Date 2008-11-03 2007-07-01
Pennsylvania Right To Know Components		
,	CAS-No.	Revision Date
Chloroform	67-66-3	2008-11-03
Methanol	67-56-1	2007-07-01
California Prop. 65 Components		
, which is/are known to the State of California to cause cancer,	CAS-No.	Revision Date
and	67-66-3	2011-09-01
Chloroform		
, which is/are known to the State of California to cause birth	CAS-No.	Revision Date
defects or other reproductive harm. For more information go to	67-56-1	2012-03-16
www.P65Warnings.ca.gov.		
Methanol	67.66.0	2044 00 04
Chloroform	67-66-3	2011-09-01

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Aquatic Acute Acute aquatic toxicity
Carc. Carcinogenicity
Eve Irrit. Eve irritation

Eye Irrit. Eye irritation Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled.

H331

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H370 Causes damage to organs (/\$/* ORGAN SINGLE/\$/).

H372 Causes damage to organs through prolonged or repeated exposure.

H402 Harmful to aquatic life.

Repr. Reproductive toxicity

Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

AVANTI - 810206X Page 10 of 11

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Revision Date: 07/25/2018 Version: 5.2 Print Date: 11/15/2018

AVANTI - 810206X Page 11 of 11