

# SAFETY DATA SHEET

Version 6.1 Revision Date 09/13/2019 Print Date 09/30/2019

Avanti Polar Lipids, Inc. 700 Industrial Park Drive, Alabaster, AL 35007,USA • (800) 227-0651 • (205) 663-2494

- Fax(800) 229-1004•(205) 663-0756 E-mail Orders: orders@avantilipids.com E-mail Inquiries: info@avantilipids.com
- E-mail Technical Questions: technical@avantilipids.com Visit www.avantilipids.com

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Cholesterol-(polyethylene glycol-600)

Product Number : 880001M Brand : Avanti

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : This chemical/product is not and cannot be distributed in

commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating

removal.

#### 1.3 Details of the supplier of the safety data sheet

Company : Avanti Polar Lipids, INC

700 Industrial Park Drive Alabaster, Al 35007 United States

Telephone of America - 2494
Fax : (205) 663-0756

## 1.4 Emergency telephone number

Emergency Phone # : +1 703-741-5970 / 1800-424-9300(CHEMTREC)

## SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Carcinogenicity (Category 2), H351

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Warning

Hazard statement(s)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Avanti - 880001M Page 1 of 9

H336 H351 H402	May cause drowsiness or dizziness. Suspected of causing cancer. Harmful to aquatic life.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

Synonyms : Chol-PEG600

Molecular weight : 84.93 g/mol

Component		Classification	Concentration
Methylene chloride			
CAS-No. EC-No. Index-No.	75-09-2 200-838-9 602-004-00-3	Skin Irrit. 2; Eye Irrit. 2A; Carc. 2; STOT SE 3; H315, H319, H351, H336 Concentration limits: 20 %: STOT SE 3, H336;	>= 90 - <= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Avanti - 880001M Page 2 of 9

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Hydrogen chloride gas

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

## **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

Avanti - 880001M Page 3 of 9

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

**Components with workplace control parameters** 

Components with				ъ :		
Component	CAS-No.	Value	Control	Basis		
			parameters			
Methylene	75-09-2	TWA	50 ppm	USA. ACGIH Threshold Limit		
chloride			' '	Values (TLV)		
cinoriae				Values (TEV)		
	<u> </u>	0 1 1 1				
	Remarks		vous System im	ipairment		
			Carboxyhemoglobinemia			
		Substances	Substances for which there is a Biological Exposure Index			
		or Indices (	see BEI® section	on)		
				en with unknown relevance to		
		humans Substance listed; for more information see OSHA docum				
			1910.1052 Potential Occupational Carcinogen See Appendix A			
		Potential O				
		See Append				
		PEL	25 ppm	OSHA Specifically Regulated		
			FF	Chemicals/Carcinogens		
		1910.1052		Circumcais/ Caramagens		
		This section applies to all occupational exposures to				
				Chemical Abstracts Service		
		Registry Number 75-09-2, in general industry, construct and shipyard employment.  Methylene chloride (MC) means an organic compound the chemical formula, CH2Cl2. Its Chemical Abstracts Service Registry Number is 75-09-2. Its molecular weight is 84				
		- ,	g/mole g			
		•				
			cifically regulated carcinogen			
		STEL	125 ppm	OSHA Specifically Regulated		
				Chemicals/Carcinogens		
		1910.1052				
		This section applies to all occupational exposures to				
		methylene chloride (MC), Chemical Abstracts Service Registry Number 75-09-2, in general industry, construction and shipyard employment. Methylene chloride (MC) means an organic compound with				
chemical formula, CH2Cl2. Its Chemical Al						
		Registry Number is 75-09-2. Its molecular weight is				
		g/mole				
	OSHA specifically regulated carcinogen			l carcinogen		
		See Table 2		···• <b></b>		
1	1	lace rable 2				

Avanti - 880001M Page 4 of 9

STEL	125 ppm 435 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
see section 5202			
PEL	25 ppm 87 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
see section 5202			

**Biological occupational exposure limits** 

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methylene chloride	75-09-2	Dichloromet hane	0.3 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			

#### 8.2 Exposure controls

## **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Avanti - 880001M Page 5 of 9

Colour: colourless

b) Odour ether-like

c) Odour Threshold No data availabled) pH No data available

e) Melting point/range: -95.0 °C (-139.0 °F) at 1,013 hPa point/freezing point

f) Initial boiling point and boiling range

40 °C 104 °F at 1,013 hPa

g) Flash point () - closed cupdoes not flash

h) Evaporation rate 0.71

i) Flammability (solid, No data available gas)

j) Upper/lower flammability or explosive limits Upper explosion limit: 22 %(V) Lower explosion limit: 13 %(V)

k) Vapour pressure 465 hPa at 20 °C (68 °F)

I) Vapour density 2.93

m) Relative density 1.3266 g/cm3

n) Water solubility 13.2 g/l at 25 °C (77 °F)

o) Partition coefficient: log Pow: 1.25 at 20 °C (68 °F) - (ECHA), Bioaccumulation is not n-octanol/water expected.

n-octanol/water expenses
p) Auto-ignition No contact No

No data available

temperature q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

#### 9.2 Other safety information

Relative vapour density

2.93

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks. Exposure to sunlight.

# 10.5 Incompatible materials

various plastics, Rubber, Light metals, Metals, Mild steel

Avanti - 880001M Page 6 of 9

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

No data available

Inhalation: No data available Dermal: No data available

No data available

#### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: 2A - Group 2A: Probably carcinogenic to humans (Methylene chloride)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Methylene chloride)

OSHA: OSHA specifically regulated carcinogen (Methylene chloride)

#### **Reproductive toxicity**

No data available

## Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

Dichloromethane is metabolized in the body producing carbon monoxide which increases and sustains carboxyhemoglobin levels in the blood, reducing the oxygen-carrying capacity of the blood., Acts as a simple asphyxiant by displacing air., anesthetic effects, Difficulty in breathing, Headache, Dizziness, Prolonged or repeated contact with skin may cause:, defatting, Dermatitis, Contact with eyes can cause:, Redness, Blurred vision, Provokes tears., Effects due to ingestion may include:, Gastrointestinal discomfort, Central nervous system depression, Paresthesia., Drowsiness, Convulsions, Conjunctivitis., Pulmonary edema. Effects may be delayed., Irregular breathing., Stomach/intestinal disorders, Nausea, Vomiting, Increased liver enzymes., Weakness, Heavy or prolonged skin exposure may result in the absorption of harmful amounts of material., Abdominal pain

Stomach - Irregularities - Based on Human Evidence

Avanti - 880001M Page 7 of 9

## **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

DOT (US)

UN number: 1593 Class: 6.1 Packing group: III

Proper shipping name: DichloromethaneSOLUTION

Reportable Quantity (RQ): 1001 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 1593 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: DICHLOROMETHANESOLUTION

**IATA** 

UN number: 1593 Class: 6.1 Packing group: III

Proper shipping name: DichloromethaneSOLUTION

Avanti - 880001M Page 8 of 9

## **SECTION 15: Regulatory information**

#### **US TSCA Section 3**

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

## **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Dichloromethane	CAS-No. 75-09-2	Revision Date 2007-07-01
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
	CAS-No.	Revision Date
Dichloromethane	75-09-2	2007-07-01
Pennsylvania Right To Know Components Dichloromethane	CAS-No. 75-09-2	Revision Date 2007-07-01
California Prop. 65 Components , which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.Dichloromethane	CAS-No. 75-09-2	Revision Date 2007-09-28

#### SECTION 16: Other information

#### **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.1 Revision Date: 09/13/2019 Print Date: 09/30/2019

Avanti - 880001M Page 9 of 9